



# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 11/11/2015

Revision date: 11/11/2015

Supersedes:

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Article number : 60804  
Product code : 608

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only  
Consumer use  
Function or use category : Lubricants, Greases and Release Products, Impregnation agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV  
Maxwellstraat 41  
3316 GP Dordrecht - Nederland  
T 0031 78 651 2322 - F 0031 78 617 4848  
[rjjonker@bardahl.nl](mailto:rjjonker@bardahl.nl) - [www.bardahl.nl](http://www.bardahl.nl)

#### 1.4. Emergency telephone number

Emergency number : +31 (0) 6 2908 2010  
During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 '+353 1 809 2166 (public, 8am - 10pm, 7/7)	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229  
Skin corrosion/irritation, Category 2 H315  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336  
Aspiration hazard, Category 1 H304  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411  
Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

The product has to be labeled due to the calculation procedure of the General Classification guideline for preparations of the EU", DIR.". Harmful : may cause lung damage if swallowed.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS09

# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Signal word (CLP)	: Danger
Hazardous ingredients	: Hydrocarbons, C5-C7, n-alkanes, isoalkanes, <5% n-hexane; pentane; Hydrocarbons, C6, isoalkanes, <5% n-hexane; Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane
Hazard statements (CLP)	: H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	: P501 - Dispose of contents/container to a facility for the collection of hazardous or special waste P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P391 - Collect spillage P312 - Call a POISON CENTER, a doctor if you feel unwell P280 - Wear protective gloves P271 - Use only outdoors or in a well-ventilated area P261 - Avoid breathing vapours, mist P251 - Do not pierce or burn, even after use P211 - Do not spray on an open flame or other ignition source P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P102 - Keep out of reach of children P101 - If medical advice is needed, have product container or label at hand

### 2.3. Other hazards

Other hazards. : Without adequate ventilation formation of explosive mixtures is possible.

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isobutane	(CAS No) 75-28-5 (EC no) 200-857-2 (REACH-no) 01-2119485395-27	20 - 25	Flam. Gas 1, H220 Compressed gas, H280
Hydrocarbons, C5-C7, n-alkanes, isoalkanes, <5% n-hexane	(EC no) 922-114-8 (REACH-no) 01-2119984314-33	10 - 20	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
pentane (Note C)	(CAS No) 109-66-0 (EC no) 203-692-4 (EC index no) 601-006-00-1 (REACH-no) 01-2119459286-30	10 - 20	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411
propane (Note U)	(CAS No) 74-98-6 (EC no) 200-827-9 (REACH-no) 01-2119486944-21	10 - 20	Flam. Gas 1, H220 Compressed gas, H280
Hydrocarbons, C6, isoalkanes, <5% n-hexane	(EC no) 931-254-9 (REACH-no) 01-2119484651-34	10 - 20	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	(EC no) 926-605-8 (REACH-no) 01-2119486291-36	10 - 20	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Butane	(CAS No) 106-97-8 (EC no) 203-448-7 (REACH-no) 01-2119474691-32	2.5 - 10	Flam. Gas 1, H220 Compressed gas, H280
Naphtha (petroleum), hydrotreated heavy	(CAS No) 64742-82-1 (EC no) 265-185-4 (REACH-no) 01-2119490979-12	0.1 - 1	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note U : When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Allow breathing of fresh air. Allow the victim to rest. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Wash with plenty of soap and water. Remove contaminated clothing immediately.
- First-aid measures after eye contact : Obtain medical attention if pain, blinking or redness persist. Ensure adequate flushing of eyes by separating eyelids with the fingers.
- First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Carbon dioxide. Powder.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : High temperature may liberate toxic gases.
- Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear proper protective equipment.
- Emergency procedures : Keep public away from danger area. Ventilate area.

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Ventilate area.

#### 6.4. Reference to other sections

See Heading 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Additional hazards when processed : Good ventilation of the workplace required. Avoid contact with skin and eyes.
- Precautions for safe handling : Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Container under pressure. Do not drill or burn even after use. Do not expose to temperatures exceeding 50 °C/ 122 °F. Do not spray on an open flame or other ignition source.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a dry, cool place. Government regulations on storing packagings with pressurized containers must be observed.
- Incompatible materials : Direct sunlight. Heat sources.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propane (74-98-6)		
EU	IOELV TWA (ppm)	1000 ppm
Netherlands	Suffocating	

Additional information : The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace

### 8.2. Exposure controls

Personal protective equipment : Gloves. Safety glasses.

Hand protection : Gloves material: Nitrile. Wear suitable gloves resistant to chemical penetration. Recommended thickness of the material:  $\geq 0.45$  mm. Penetration time of glove material:  $\geq 240$  min. Refer to manufacturer's information

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of inadequate ventilation wear respiratory protection. High gas/vapour concentration: gas mask with filter type AX



Other information : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing immediately. Do not breathe gas, fumes, vapour or spray. Avoid contact with skin and eyes.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Aerosol.

Colour : Colourless.

Odour : petrol.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature :  $> 200$  °C

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density :  $0.61621$  g/cm<sup>3</sup> (20°C)

Solubility : Practically not miscible.  
Organic solvent:99.2%

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : Explosive vapour/air mixtures may be formed. Product is not explosive.

Oxidising properties : No data available

Explosive limits : No data available

### 9.2. Other information

VOC content : 611.4 g/l

# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

No decomposition if used according to specifications.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Aldehyde.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : vapours work intoxicating. Irritating

<b>Isobutane (75-28-5)</b>	
LC50 inhalation rat (mg/l)	> 50 mg/l/4h
<b>Hydrocarbons, C5-C7, n-alkanes, isoalkanes, &lt;5% n-hexane</b>	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/l
LC50 inhalation rat (mg/l)	> 5 mg/l
<b>pentane (109-66-0)</b>	
LD50 oral rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	5 mg/l/4h
<b>propane (74-98-6)</b>	
LC50 inhalation rat (mg/l)	20 mg/l/4h
<b>Hydrocarbons, C6, isoalkanes, &lt;5% n-hexane</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal	> 3000 mg/kg (daphnia)
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
<b>Butane (106-97-8)</b>	
LC50 inhalation rat (mg/l)	658 mg/l/4h
<b>Naphtha (petroleum), hydrotreated heavy (64742-82-1)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 3160 mg/kg

Skin corrosion/irritation	: Irritant to skin and mucous membranes
Serious eye damage/irritation	: No irritant effect
Respiratory or skin sensitisation	: No sensitisation responses were observed
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

<b>pentane (109-66-0)</b>	
LC50 other aquatic organisms 1	4.26 mg/l (Oncorhynchus mykiss 96h)
EC50 Daphnia 1	2.7 mg/l

# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>pentane (109-66-0)</b>	
EC50 other aquatic organisms 1	10.7 mg/l (Pseudokirchneriella subcapitata)
NOEC (acute)	7.51 mg/l (Pseudokirchneriella subcapitata)
<b>Hydrocarbons, C6, isoalkanes, &lt;5% n-hexane</b>	
EC50 Daphnia 1	2.1 mg/l
<b>Butane (106-97-8)</b>	
LC50 fish 1	680 mg/l (96h)
<b>Naphtha (petroleum), hydrotreated heavy (64742-82-1)</b>	
LC50 other aquatic organisms 1	10 - 30 mg/l (Oncorhynchus mykiss) (96h)
EC50 Daphnia 2	10 - 22 mg/l (48h)
EC50 other aquatic organisms 1	4.6 - 10 mg/l (Pseudokirchneriella subcapitata) (72h)
LOEC (chronic)	0.203 mg/l (Daphnia magna) (21 days)
NOEC (acute)	1 mg/l (Pseudokirchneriella subcapitata) (72h)
NOEC (chronic)	0.097 mg/l (Daphnia magna) (21 days)

### 12.2. Persistence and degradability

<b>Isobutane (75-28-5)</b>	
Persistence and degradability	Readily biodegradable.
<b>propane (74-98-6)</b>	
Persistence and degradability	Readily biodegradable.
<b>Hydrocarbons, C6, isoalkanes, &lt;5% n-hexane</b>	
Persistence and degradability	Readily biodegradable.
<b>Butane (106-97-8)</b>	
Persistence and degradability	Readily biodegradable.

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

<b>60804</b>	
Ecology - soil	Toxic to fish. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Prevent entry to sewers and public waters. Endangering to drinking water. Harmful to aquatic organisms. In surface also poisonous for fish and plankton.
<b>Isobutane (75-28-5)</b>	
Ecology - soil	If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.
<b>propane (74-98-6)</b>	
Ecology - soil	If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.
<b>Hydrocarbons, C6, isoalkanes, &lt;5% n-hexane</b>	
Ecology - soil	Highly volatile, will spread rapidly in air. It is not expected to extract to the sediment and the fraction fixed substances in the waste water.
<b>Butane (106-97-8)</b>	
Ecology - soil	If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
European List of Waste (LoW) code	: 16 05 04* - gases in pressure containers (including halons) containing dangerous substances 15 01 04 - metallic packaging

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: 1950
--------------	--------

# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
UN-No. (ADN)	: 1950
UN-No. (RID)	: 1950

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS
Proper Shipping Name (RID)	: AEROSOLS
Transport document description (ADR)	: UN 1950 AEROSOLS (Aerosols, Flammable), 2.1, (D), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1



#### IMDG

Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1



#### IATA

Transport hazard class(es) (IATA)	: 2.1
Hazard labels (IATA)	: 2.1



#### ADN

Transport hazard class(es) (ADN)	: 2.1
Danger labels (ADN)	: 2.1



#### RID

Transport hazard class(es) (RID)	: 2.1
Danger labels (RID)	: 2.1

# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### 14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

### 14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

#### - Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None

#### - Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

#### - Inland waterway transport

Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1 L



# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1

### - Rail transport

Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

VOC content : 611.4 g/l

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations and acronyms: RID: Regulations Concerning the International Transport of Dangerous Goods by Rail ICAO: International Civil Aviation Organization ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
---

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Compressed gas	Gases under pressure : Compressed gas
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3

# Waterproof Spray

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*