

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Article number : 61004
 Product code : 610

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category : Cleaning/washing agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV
 Maxwellstraat 41
 3316 GP Dordrecht - Nederland
 T 0031 78 651 2322 - F 0031 78 617 4848
rjjonker@bardahl.nl - www.bardahl.nl

1.4. Emergency telephone number

Emergency number : +31 (0) 6 2908 2010
 During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
 Serious eye damage/eye irritation, Category 2 H319
 Specific target organ toxicity — Single exposure, Category 3, Narcosis H336
 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazardous ingredients :

Naphtha (petroleum), hydrotreated light; propan-2-ol, isopropyl alcohol, isopropanol

Hazard statements (CLP) :

H222 - Extremely flammable aerosol
 H319 - Causes serious eye irritation
 H336 - May cause drowsiness or dizziness

Electrical Contact Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	H412 - Harmful to aquatic life with long lasting effects : P403+P233 - Store in a well-ventilated place. Keep container tightly closed P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear protective gloves, protective clothing, eye protection, face protection P273 - Avoid release to the environment P251 - Pressurized container: Do not pierce or burn, even after use P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P211 - Do not spray on an open flame or other ignition source P501 - Dispose of contents/container to a facility for the collection of hazardous or special waste P337+P313 - If eye irritation persists: Get medical advice/attention P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P261 - Avoid breathing spray P271 - Use only outdoors or in a well-ventilated area P102 - Keep out of reach of children P405 - Store locked up P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
--------------------------------	---

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol, isopropyl alcohol, isopropanol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	30 - 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Naphtha (petroleum), hydrotreated light	(CAS No) 64742-49-0 (EC no) 265-151-9 (REACH-no) 01-2119484659-18-0000	10 - 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
propane (Note U)	(CAS No) 74-98-6 (EC no) 200-827-9 (REACH-no) 01-2119486944-21	10 - 30	Flam. Gas 1, H220 Compressed gas, H280
Butane	(CAS No) 106-97-8 (EC no) 203-448-7 (REACH-no) 01-2119474691-32	5 - 10	Flam. Gas 1, H220 Compressed gas, H280
Isobutane	(CAS No) 75-28-5 (EC no) 200-857-2 (REACH-no) 01-2119485395-27	1 - 5	Flam. Gas 1, H220 Compressed gas, H280

Note U : When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Assure fresh air breathing. Seek medical attention if ill effect develops.
First-aid measures after inhalation	: Allow breathing of fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep the victim warm. Allow the victim to rest. Obtain emergency medical attention.
First-aid measures after skin contact	: Wash skin thoroughly with mild soap and water. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Seek medical attention if irritation develops.

Electrical Contact Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If swallowed, rinse mouth with water (only if the person is conscious). Seek medical attention if ill effect develops.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Powder. Dry chemical. Sand. Dolomite. Water spray. Water haze.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Heating may cause an explosion.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

Other information : Wear suitable protective clothing. Eliminate every possible source of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ventilate area. Clear all other personnel from the area.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid contact with skin and eyes. Do not breathe gas, fumes, vapour or spray.
Precautions for safe handling : Ensure all national/local regulations are observed. Wear suitable respiratory equipment.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible materials : heat. sparks. Open flame. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propane (74-98-6)		
EU	IOELV TWA (ppm)	1000 ppm
Netherlands	Suffocating	
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
EU	IOELV TWA (mg/m ³)	983 mg/m ³
EU	IOELV TWA (ppm)	400 ppm
EU	IOELV STEL (mg/m ³)	1230 mg/m ³
EU	IOELV STEL (ppm)	500 ppm

8.2. Exposure controls

Personal protective equipment : Gloves. Protective goggles.

Electrical Contact Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hand protection	: Safety gloves
Eye protection	: Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Use protection with appropriate chemical pattern



Other information	: No smoking. Good ventilation of the workplace required. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Remove contaminated clothing immediately.
-------------------	--

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol.
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.8 - 12 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Open flame. Sources of ignition. Direct sunlight.

10.5. Incompatible materials

Strong oxidizers. Strong bases. Strong acids.

Electrical Contact Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : May cause stomach cramps and vomiting. May cause gastric irritation

Butane (106-97-8)	
LC50 inhalation rat (mg/l)	658 mg/l/4h
Isobutane (75-28-5)	
LC50 inhalation rat (mg/l)	> 50 mg/l/4h
Naphtha (petroleum), hydrotreated light (64742-49-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2800 mg/kg
LC50 inhalation rat (mg/l)	> 23 mg/l/4h
propane (74-98-6)	
LC50 inhalation rat (mg/l)	20 mg/l/4h
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h

Skin corrosion/irritation : Prolonged or repeated contact may cause skin to become dry or cracked. May degrease the skin. Irritating to skin. Eczema

Serious eye damage/irritation : Irritating to eyes. May cause chemical eye burns

Respiratory or skin sensitisation : May cause respiratory irritation. Vapours may cause drowsiness and dizziness. Headache

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Butane (106-97-8)	
LC50 fish 1	680 mg/l (96h)
Naphtha (petroleum), hydrotreated light (64742-49-0)	
LC50 other aquatic organisms 2	> 13.4 mg/l (Oncorhynchus mykiss) (96h)
EC50 Daphnia 1	3 mg/l (Daphnia Magna)(48h)
EC50 other aquatic organisms 1	10 - 30 mg/l (Pseudokirchneriella subcapitata) (72h)
LOEC (chronic)	0.32 mg/l (Daphnia magna) (21 days)
NOEC (chronic)	0.17 mg/l (Daphnia magna) (21 days)
NOEC chronic fish	10 mg/l (Pseudokirchneriella subcapitata) (72h)
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
LC50 other aquatic organisms 1	9640 mg/l (Pimephales promelas)
EC50 Daphnia 1	> 9700 mg/l (24h)
EC50 other aquatic organisms 1	> 1000 mg/l (Algen 72h)

12.2. Persistence and degradability

Butane (106-97-8)	
Persistence and degradability	Readily biodegradable.
Isobutane (75-28-5)	
Persistence and degradability	Readily biodegradable.
propane (74-98-6)	
Persistence and degradability	Readily biodegradable.

Electrical Contact Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

Butane (106-97-8)

Ecology - soil

If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.

Isobutane (75-28-5)

Ecology - soil

If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.

propane (74-98-6)

Ecology - soil

If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : hazardous for the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Pressurized container: Do not pierce or burn, even after use.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1950

UN-No. (IMDG) : 1950

UN-No. (IATA) : 1950

UN-No. (ADN) : 1950

UN-No. (RID) : 1950

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS

Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable

Proper Shipping Name (ADN) : AEROSOLS

Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D)

Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1

Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1

Transport document description (ADN) : UN 1950 AEROSOLS, 2.1

Transport document description (RID) : UN 1950 AEROSOLS, 2.1

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1

Danger labels (ADR) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2.1

Danger labels (IMDG) : 2.1

Electrical Contact Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



IATA

Transport hazard class(es) (IATA) : 2.1

Hazard labels (IATA) : 2.1



ADN

Transport hazard class(es) (ADN) : 2.1

Danger labels (ADN) : 2.1



RID

Transport hazard class(es) (RID) : 2.1

Danger labels (RID) : 2.1



14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Emergency action in case of accident: : Industrial and institutional users can transport these products as "Limited Quantities" (LQ)

- Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Electrical Contact Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12
Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D

- Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959
Limited quantities (IMDG) : SP277
Excepted quantities (IMDG) : E0
Packing instructions (IMDG) : P207, LP02
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None

- Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg
Special provisions (IATA) : A145, A167
ERG code (IATA) : 10L

- Inland waterway transport

Classification code (ADN) : 5F
Special provisions (ADN) : 19, 327, 344, 625
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01, VE04
Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : 5F
Special provisions (RID) : 190, 327, 344, 625
Limited quantities (RID) : 1L
Excepted quantities (RID) : E0
Packing instructions (RID) : P207, LP02
Special packing provisions (RID) : PP87, RR6, L2
Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12
Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

Electrical Contact Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

1.2	Function or use category	Added	
-----	--------------------------	-------	--

Abbreviations and acronyms:

	<p>Abbreviations and acronyms:</p> <p>RID: Regulations Concerning the International Transport of Dangerous Goods by Rail ICAO: International Civil Aviation Organization ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent</p>
--	---

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Compressed gas	Gases under pressure : Compressed gas
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product