



Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 19/09/2014

Revision date: 02/09/2015

Supersedes: 19/09/2014

Version: 3.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Article number : 68204
Product code : 682

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only
Function or use category : Lubricants, Greases and Release Products

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV
Maxwellstraat 41
3316 GP Dordrecht - Nederland
T 0031 78 651 2322 - F 0031 78 617 4848
rjjonker@bardahl.nl - www.bardahl.nl

1.4. Emergency telephone number

Emergency number : +31 (0) 6 2908 2010
During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Reproductive toxicity, H362
Additional category, Effects on or via lactation
Specific target organ toxicity H336
— Single exposure, Category 3, Narcosis
Aspiration hazard, Category H304
1
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful : may cause lung damage if swallowed. The product has to be labeled due to the calculation procedure of the General Classification guideline for preparations of the EU, DIR.". Repeated or prolonged skin contact may cause dermatitis and defatting.

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS09

Signal word (CLP) :

Danger

Hazardous ingredients

alkanes, C14-17, chloro, chlorinated paraffins, C14-17; Hydrocarbons, C9-11, N-Alkanes, Iso-Alkanes Cyclic <2% Aromatics; Solvent naphtha (petroleum), light aromatic

Hazard statements (CLP) :

H222 - Extremely flammable aerosol
H229 - Pressurised container: May burst if heated
H336 - May cause drowsiness or dizziness
H362 - May cause harm to breast-fed children
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P501 - Dispose of contents/container to a facility for the collection of hazardous or special waste
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
P391 - Collect spillage
P308+P313 - IF exposed or concerned: Get medical advice/attention
P312 - Call a POISON CENTER or doctor/physician if you feel unwell
P271 - Use only outdoors or in a well-ventilated area
P260 - Do not breathe vapours, spray, mist
P251 - Do not pierce or burn, even after use
P211 - Do not spray on an open flame or other ignition source
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P201 - Obtain special instructions before use
P263 - Avoid contact during pregnancy/while nursing
P102 - Keep out of reach of children
P101 - If medical advice is needed, have product container or label at hand

EUH-statements

: EUH066 - Repeated exposure may cause skin dryness or cracking

2.3. Other hazards

Other hazards.

: Without adequate ventilation formation of explosive mixtures is possible.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
alkanes, C14-17, chloro, chlorinated paraffins, C14-17	(CAS No) 85535-85-9 (EC no) 287-477-0 (REACH-no) 01-2119519269-33	25 - 50	Lact., H362 Aquatic Chronic 1, H410
Isobutane	(CAS No) 75-28-5 (EC no) 200-857-2 (REACH-no) 01-2119485395-27	25 - 50	Flam. Gas 1, H220 Compressed gas, H280
propane (Note U)	(CAS No) 74-98-6 (EC no) 200-827-9 (REACH-no) 01-2119486944-21	10 - 20	Flam. Gas 1, H220 Compressed gas, H280
Hydrocarbons, C9-11, N-Alkanes, Iso-Alkanes Cyclic <2% Aromatics	(CAS No) 64742-48-9 (EC no) 919-857-5 (REACH-no) 01-2119463258-33	10 - 20	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304
Solvent naphtha (petroleum), light aromatic	(CAS No) 64742-95-6 (EC no) 265-199-0 (EC index no) 649-356-00-4 (REACH-no) 01-2119486773-24	2.5 - 10	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Butane	(CAS No) 106-97-8 (EC no) 203-448-7 (REACH-no) 01-2119474691-32	2.5 - 10	Flam. Gas 1, H220 Compressed gas, H280

Note U : When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow breathing of fresh air. Allow the victim to rest. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove contaminated clothing immediately.
First-aid measures after eye contact	: Obtain medical attention if pain, blinking or redness persist. Ensure adequate flushing of eyes by separating eyelids with the fingers.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Carbon dioxide. Powder.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: High temperature may liberate toxic gases.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources.

6.1.1. For non-emergency personnel

Protective equipment	: Wear proper protective equipment.
Emergency procedures	: Keep public away from danger area. Ventilate area.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Ventilate area.
-------------------------	--

6.4. Reference to other sections

See Heading 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Good ventilation of the workplace required. Avoid contact with skin and eyes.
Precautions for safe handling	: Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Container under pressure. Do not drill or burn even after use. Do not expose to temperatures exceeding 50 °C/ 122 °F. Do not spray on an open flame or other ignition source.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a dry, cool place. Government regulations on storing packagings with pressurized containers must be observed.
Incompatible materials	: Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propane (74-98-6)		
EU	IOELV TWA (ppm)	1000 ppm
Netherlands	Suffocating	

Additional information : The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace

8.2. Exposure controls

Personal protective equipment : Gloves. Safety glasses.

Hand protection : Gloves material: Nitrile. Wear suitable gloves resistant to chemical penetration. Recommended thickness of the material: ≥ 0.7 mm. Penetration time of glove material: ≥ 240 min

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of inadequate ventilation wear respiratory protection. High gas/vapour concentration: gas mask with filter type AX



Other information : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing immediately. Do not breathe gas, fumes, vapour or spray. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Aerosol.

Colour : brown.

Odour : Solvent.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : > 200 °C

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 0.72659 g/cm³ (20°C)

Solubility : Practically not miscible.
Organic solvent:66.3%

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : Explosive vapour/air mixtures may be formed. Product is not explosive.

Oxidising properties : No data available

Explosive limits : No data available

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

VOC content : 481.6 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Aldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : vapours work intoxicating

alkanes, C14-17, chloro, chlorinated paraffins, C14-17 (85535-85-9)	
LD50 oral rat	> 2 mg/kg
LD50 dermal rat	> 2 mg/kg
LC50 inhalation rat (mg/l)	3.3 mg/kg

Isobutane (75-28-5)	
LC50 inhalation rat (mg/l)	> 50 mg/l/4h

propane (74-98-6)	
LC50 inhalation rat (mg/l)	20 mg/l/4h

Hydrocarbons, C9-11, N-Alkanes, Iso-Alkanes Cyclic <2% Aromatics (64742-48-9)	
LD50 oral rat	8000 mg/kg
LD50 dermal rat	4000 mg/kg
LC50 inhalation rat (mg/l)	< 18.5 mg/l/4h

Solvent naphtha (petroleum), light aromatic (64742-95-6)	
LD50 oral rat	3295 mg/kg
LD50 dermal rat	> 3160 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	> 10.2 mg/l/4h

Butane (106-97-8)	
LC50 inhalation rat (mg/l)	658 mg/l/4h

Skin corrosion/irritation	: No irritant effect
Serious eye damage/irritation	: No irritant effect
Respiratory or skin sensitisation	: No sensitisation responses were observed
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

alkanes, C14-17, chloro, chlorinated paraffins, C14-17 (85535-85-9)	
LC50 fish 1	> 5000 mg/l (96h)

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

alkanes, C14-17, chloro, chlorinated paraffins, C14-17 (85535-85-9)	
EC50 Daphnia 1	0.006 mg/l (48h)
EC50 other aquatic organisms 1	> 3.2 mg/l (96h) (Algae)
Hydrocarbons, C9-11, N-Alkanes, Iso-Alkanes Cyclic <2% Aromatics (64742-48-9)	
EC50 Daphnia 1	> 1000 mg/l
Solvent naphtha (petroleum), light aromatic (64742-95-6)	
LC50 other aquatic organisms 2	9.2 mg/l (Oncorhynchus mykiss (96h))
EC50 Daphnia 1	3.2 mg/l (48h)
NOEC (acute)	1 mg/l (Pseudokirchneriella subcapitata) (72h)
Butane (106-97-8)	
LC50 fish 1	680 mg/l (96h)

12.2. Persistence and degradability

Isobutane (75-28-5)	
Persistence and degradability	Readily biodegradable.
propane (74-98-6)	
Persistence and degradability	Readily biodegradable.
Butane (106-97-8)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

68204	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

68204	
Ecology - soil	Toxic to fish. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Prevent entry to sewers and public waters. Endangering to drinking water. Harmful to aquatic organisms.
Isobutane (75-28-5)	
Ecology - soil	If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.
propane (74-98-6)	
Ecology - soil	If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.
Butane (106-97-8)	
Ecology - soil	If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
European List of Waste (LoW) code	: 16 05 04* - gases in pressure containers (including halons) containing dangerous substances 15 01 04 - metallic packaging

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: AEROSOLS
----------------------------	------------

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
Transport document description (ADR)	: UN 1950 AEROSOLS (Aerosols, Flammable), 2.1, (D), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1

Danger labels (ADR) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2.1

Danger labels (IMDG) : 2.1



IATA

Transport hazard class(es) (IATA) : 2.1

Hazard labels (IATA) : 2.1



ADN

Transport hazard class(es) (ADN) : Not applicable



RID

Transport hazard class(es) (RID) : Not applicable



14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830


14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 23
Orange plates	:



Tunnel restriction code (ADR)	: D
-------------------------------	-----

- Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None

- Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167
ERG code (IATA)	: 10L

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	68204
28. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as Carcinogen category 1A or 1B (Table 3.1) or Carcinogen category 1 or 2 (Table 3.2) and listed as follows: Carcinogen category 1A (Table 3.1)/Carcinogen category 1 (Table 3.2) listed in Appendix 1 Carcinogen category 1B (Table 3.1)/Carcinogen category 2 (Table 3.2) listed in Appendix 2	68204
29. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as Germ cell Mutagen category 1A or 1B (Table 3.1) or Mutagen category 1 or 2 (Table 3.2) and listed as follows: Mutagen category 1A (Table 3.1)/Mutagen category 1 (Table 3.2) listed in Appendix 3 Mutagen category 1B (Table 3.1)/Mutagen category 2 (Table 3.2) listed in Appendix 4	68204
30. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as Toxic to Reproduction category 1A or 1B (Table 3.1) or Toxic to Reproduction category 1 or 2 (Table 3.2) and listed as follows: Reproductive toxicant category 1A adverse effects on sexual function and fertility or on development (Table 3.1) or Reproductive toxicant category 1 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 5 Reproductive toxicant category 1B adverse effects on sexual function and fertility or on development (Table 3.1) or Reproductive toxicant category 2 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 6	68204
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	68204

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 481.6 g/l

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No

SECTION 16: Other information

Indication of changes:

1.2	Function or use category	Added	
2.2	Precautionary statements (CLP)	Modified	
15.2	Chemical safety assessment	Modified	

Abbreviations and acronyms:

Super Spray

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
ICAO: International Civil Aviation Organization
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

Full text of H- and EUH-statements:

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Compressed gas	Gases under pressure : Compressed gas
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H362	May cause harm to breast-fed children
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
EUH066	Repeated exposure may cause skin dryness or cracking

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product